

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Overhultz et al.

Serial No.: 10/665,540

Patent No.: 7,374,096

Filed: September 18, 2003

Issued: May 20, 2008

For: Patient Support Apparatus And Method Therefor

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


ATTENTION: Certificate of Correction Branch
of the Patent Issue Division

**NOTIFICATION OF ERROR IN PRINTING PATENT
CERTIFICATE OF CORRECTED REQUESTED
UNDER 37 CFR § 1.323**

In proofreading the above-referenced patent, it has been noted that the following errors occurred in the printing thereof. A Certificate of Correction is therefore requested. (See enclosed Certificate of Correction)

The Commissioner is hereby authorized to charge the fee of \$100.00 (37 CFR §1.20(a)) for the Certificate of Correction to Jones Day Deposit Account No. 501432, account 323343-600005. If any additional fees are due, please charge the above-mentioned deposit account.

Respectfully submitted,



Joseph Sauer
Registration No. 47919
JONES DAY
North Point
901 Lakeside Avenue
Cleveland, OH 44114
(216) 586-3939

Date: 6/6/8

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,374,096

APPLICATION NO.: 10/665,540

ISSUE DATE : May 20, 2008

INVENTOR(S) : Overhultz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 34, line 62, delete "backscarter" and insert -- backscatter --.

In column 35, line 7, delete "hackscatter" and insert -- backscatter --.

In column 36, line 18, delete "RE" and insert -- RF --.

In column 36, line 20, delete "RE" and insert -- RF --.

In column 36, line 26, delete "RE" and insert -- RF --.

In column 36, line 28, delete "RE" and insert -- RF --.

In column 36, line 40, delete "grater" and insert -- greater --.

In column 36, line 42, delete "grater" and insert -- greater --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Joseph Sauer
Jones Day
North Point, 901 Lakeside Avenue
Cleveland, Ohio 44114

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.